

BTHPL-1474/24-25/PA/156

Date: 17/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120241108006. The sample meets all the relevant requirements of IEC 61853-2:2016 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BHARAT TEST HOUSE PVT. LTD.

NABL ACCREDITED (TC-13278) & BIS RECOGNISED
ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LAB

1474, HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Mob. : 8053000867, 8053000687, 8930260106
Email: bthrai@bharattesthouse.com
www.bharattesthouse.com
CIN No: U73100DL2007PTC159747



DELHI TEST HOUSE®

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,

Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhitesthouse.com, ag@delhitesthouse.com

Website : www.delhitesthouse.com

CERTIFICATE

Issued to:

Applicant:

Sunbond Energy Pvt. Ltd.

S.No.181/P 2, Opp.66KV Sub-Station,Mitana-Padadhari Road,

Mitana, Rajkot, Gujarat.India- 363650

The product Photovoltaic Module has been tested by Delhi Test House and found to comply in accordance with the Test Standard indicated on this conformity statement.

Report Number: 249549240620KUNE16000

Issue date: 06/08/2024

Tested Model: SEPLM10B156-600

Series models covered: SEPLM10B156-595, SEPLM10B156-590, SEPLM10B156-585, SEPLM10B156-580, SEPLM10B156-575, SEPLM10B156-570, SEPLM10B156-565, SEPLM10B144-560, SEPLM10B144-555, SEPLM10B144-550, SEPLM10B144-545, SEPLM10B144-540, SEPLM10B144-535, SEPLM10B144-530, SEPLM10B132-515, SEPLM10B132-510, SEPLM10B132-505, SEPLM10B132-500, SEPLM10B132-495, SEPLM10B132-490, SEPLM10B120-480, SEPLM10B120-475, SEPLM10B120-470, SEPLM10B120-465, SEPLM10B120-460, SEPLM10B120-455, SEPLM10B120-450, SEPLM10B108-440, SEPLM10B108-435, SEPLM10B108-430, SEPLM10B108-425, SEPLM10B108-420, SEPLM10B108-415, SEPLM10B108-410, SEPLM10B108-405

Specification of the certified product:

Product: SOLAR PHOTOVOLTAIC MODULE

Trade name: SUNBOND

Fire Rating: Class C

Protection Class: Class II

Maximum System Voltage: 1500VDC

Nominal maximum power(Pmax): 600W

Test Standard: IEC 62716:2013

Test result: Pass

Conclusion: The examination proved that the PV module complied with all the requirements of above mentioned test standard. (For details please find the test report)

DELHI TEST HOUSE

Plot No.50, Phase - IV, Sector-57

HSIDC, Industrial Area

Behind Parnami Hospital, Kundli

Sonipat-131028 (Haryana)

Tele-fax : 0130-2116529

Page 1 of 2



DELHI TEST HOUSE[®]

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,

Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhitesthouse.com, ag@delhitesthouse.com

Website : www.delhitesthouse.com

Standard: IEC 62716:2013 - Photovoltaic (PV) modules - Ammonia corrosion testing

Manufacturer Trademark:



Issued by: DR
Date: 06/08/2024

Authorized signatory

DELHI TEST HOUSE
Plot No. 50, Phase - IV, Sector-57
HSIDC Industrial Area
Behind Parnami Hospital, Kundli
Sonipat-131028 (Haryana)
Tele-fax : 0130-2116529

BTHPL-1474/24-25/PA/147

Date: 03/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120250301022 & TR120250301023 and The sample meets all the relevant requirements of IEC 62759-1 :2022 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BHARAT TEST HOUSE PVT. LTD.

NABL ACCREDITED (TC-13278) & BIS RECOGNISED
ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LAB

1474, HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Mob. : 8053000867, 8053000687, 8930260106
Email: bthrai@bharattesthouse.com
www.bharattesthouse.com
CIN No: U73100DL2007PTC159747



DELHI TEST HOUSE[®]

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,

Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhittesthouse.com, ag@delhittesthouse.com

Website : www.delhittesthouse.com

CERTIFICATE

Issued to:

Applicant:

Sunbond Energy Pvt. Ltd.

S.No.181/P 2, Opp.66KV Sub-Station,Mitana-Padadhari Road,
Mitana, Rajkot, Gujarat.India- 363650

The product Photovoltaic Module has been tested by Delhi Test House and found to comply in accordance with the Test Standard indicated on this conformity statement.

Report Number: 249541240620KUNE10000

Issue date: 05/08/2024

Tested Model: SEPLM10B156-600

Series models covered: SEPLM10B156-595, SEPLM10B156-590, SEPLM10B156-585, SEPLM10B156-580, SEPLM10B156-575, SEPLM10B156-570, SEPLM10B156-565, SEPLM10B144-560, SEPLM10B144-555, SEPLM10B144-550, SEPLM10B144-545, SEPLM10B144-540, SEPLM10B144-535, SEPLM10B144-530, SEPLM10B132-515, SEPLM10B132-510, SEPLM10B132-505, SEPLM10B132-500, SEPLM10B132-495, SEPLM10B132-490, SEPLM10B120-480, SEPLM10B120-475, SEPLM10B120-470, SEPLM10B120-465, SEPLM10B120-460, SEPLM10B120-455, SEPLM10B120-450, SEPLM10B108-440, SEPLM10B108-435, SEPLM10B108-430, SEPLM10B108-425, SEPLM10B108-420, SEPLM10B108-415, SEPLM10B108-410, SEPLM10B108-405

Specification of the certified product:

Product: SOLAR PHOTOVOLTAIC MODULE

Trade name: SUNBOND

Fire Rating: Class C

Protection Class: Class II

Maximum System Voltage: 1500VDC

Nominal maximum power(Pmax): 600W

Test Standard: IEC TS 62804-1:2015

Test result: Pass

Conclusion: The examination proved that the PV module complied with all the requirements of above mentioned test standard. (For details please find the test report)

DELHI TEST HOUSE
Plot No.50, Phase - IV, Sector-57
HSIDC, Industrial Area
Behind Parnami Hospital, Kundli
Sonipat-131028 (Haryana)
Tele-fax : 0130-2116529

Page 1 of 2



DELHI TEST HOUSE[®]

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,
Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhitesthouse.com, ag@delhitesthouse.com

Website : www.delhitesthouse.com

Standard: IEC TS 62804-1:2015 - Photovoltaic (PV) modules - Test methods for the detection of potential-induced degradation - Part 1: Crystalline silicon

Manufacturer Trademark:



Issued by: *DR*

Date: 05/08/2024

AN
Authorized signatory

DELHI TEST HOUSE
Plot No.50, Phase - IV, Sector-57
HSIDC, Industrial Area
Behind Parnami Hospital, Kundli
Sonipat-131028 (Haryana)
Tele-fax : 0130-2116529

BTHPL-1474/24-25/PA/154

Date: 17/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120241108003. The sample meets all the relevant requirements of IEC 61853-1: 2011 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BTHPL-1474/24-25/PA/147

Date: 03/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120250301022 & TR120250301023 and The sample meets all the relevant requirements of IEC 62759-1 :2022 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BHARAT TEST HOUSE PVT. LTD.

NABL ACCREDITED (TC-13278) & BIS RECOGNISED
ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LAB

1474, HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Mob. : 8053000867, 8053000687, 8930260106
Email: bthrai@bharattesthouse.com
www.bharattesthouse.com
CIN No: U73100DL2007PTC159747

BTHPL-1474/24-25/PA/116

Date: 11/01/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120250102004 and The sample meets all the relevant requirements of IEC 60068-2-68:1994 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BTHPL-1474/24-25/PA/155

Date: 17/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120241108005. The sample meets all the relevant requirements of Cl. 11.8 & Cl. 11.19 of IEC TS 61215-1-1:2016 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL

BHARAT TEST HOUSE PVT. LTD.

NABL ACCREDITED (TC-13278) & BIS RECOGNISED
ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LAB

1474, HSIIDC Industrial Estate, Rai, Distt. Sonipat, Haryana-131029
Mob. : 8053000867, 8053000687, 8930260106
Email: bthrai@bharattesthouse.com
www.bharattesthouse.com
CIN No: U73100DL2007PTC159747

BTHPL-1474/24-25/PA/157

Date: 17/03/2025

To

SUNBOND ENERGY PVT LTD
SURVEY NO. 181/P2 MITANA, PADADHARI ROAD,
MITANA, MORBI-363650, GUJRAT, INDIA

Dear Sir,

We are in receipt of your submitted samples of PV Module Model: SEPLM10B144-545 and added Series Models.

144 Half cut Cells Family
SEPLM10B144-545

We are to inform you that, the Testing has been completed as per said standard via Test Report No. TR120241108007. The sample meets all the relevant requirements of IEC 61215-1-1: 2016 as per the results mentioned in the report.

Thanking You

Yours Truly
For Bharat Test House (P) Ltd.



Authorised Signatory

"our footprint evidences our quality"



NABL



Recognized



Designated CAB



MOU



Empanelled



Registered



Registered Lab



CBTL



DELHI TEST HOUSE[®]

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,
Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhitesthouse.com, ag@delhitesthouse.com

Website : www.delhitesthouse.com

CERTIFICATE

Issued to:

Applicant:

Sunbond Energy Pvt. Ltd.

S.No.181/P 2, Opp.66KV Sub-Station,Mitana-Padadhari Road,
Mitana, Rajkot, Gujarat.India- 363650

The product Photovoltaic Module has been tested by Delhi Test House and found to comply in accordance with the Test Standard indicated on this conformity statement.

Report Number: 249536240530KUNE3000

Issue date: 03/08/2024

Tested Model: SEPLM10B156-600

Series models covered: SEPLM10B156-595, SEPLM10B156-590, SEPLM10B156-585, SEPLM10B156-580, SEPLM10B156-575, SEPLM10B156-570, SEPLM10B156-565, SEPLM10B144-560, SEPLM10B144-555, SEPLM10B144-550, SEPLM10B144-545, SEPLM10B144-540, SEPLM10B144-535, SEPLM10B144-530, SEPLM10B132-515, SEPLM10B132-510, SEPLM10B132-505, SEPLM10B132-500, SEPLM10B132-495, SEPLM10B132-490, SEPLM10B120-480, SEPLM10B120-475, SEPLM10B120-470, SEPLM10B120-465, SEPLM10B120-460, SEPLM10B120-455, SEPLM10B120-450, SEPLM10B108-440, SEPLM10B108-435, SEPLM10B108-430, SEPLM10B108-425, SEPLM10B108-420, SEPLM10B108-415, SEPLM10B108-410, SEPLM10B108-405

Specification of the certified product:

Product: SOLAR PHOTOVOLTAIC MODULE

Trade name: SUNBOND

Fire Rating: Class C

Protection Class: Class II

Maximum System Voltage: 1500VDC

Nominal maximum power(Pmax): 600W

Test Standard: IEC 61701:2020

Test result: Pass

Conclusion: The examination proved that the PV module complied with all the requirements of above mentioned test standard. (For details please find the test report)

DELHI TEST HOUSE
Plot No.50, Phase - IV, Sector-57
HSIDC, Industrial Area
Behind Parnami Hospital, Kundli
Sonipat-131028 (Haryana)
Tele-fax : 0130-2116529

Page 1 of 2



DELHI TEST HOUSE[®]

ISO-9001 ACCREDITED LABORATORY

Plot No. 50, Phase - IV, Sector-57, HSIDC Industrial Area, Behind Parnami Hospital,
Kundli, Sonipat - 131028 (Haryana)

Telefax : 0130-2116529 Mobile : 09811166015, 09810068016

E-mail : info@delhitesthouse.com, ag@delhitesthouse.com

Website : www.delhitesthouse.com

Standard: IEC 61701:2020 - Photovoltaic (PV) modules - Salt mist corrosion testing

Manufacturer Trademark:



Issued by: *Dr*

Date: 03/08/2024

Authorized signatory *M*

DELHI TEST HOUSE
Plot No.50, Phase - IV, Sector-57
HSIDC, Industrial Area
Behind Parnami Hospital, Kundli
Sonipat-131028 (Haryana)
Tele-fax : 0130-2116529